

Casetă compactă (1-way compact) — seria CHV-5SCC

8 modele: CHV-5SCC15NK2 ... CHV-5SCC56NK2

Model	5SCC15NK2	5SCC18NK2	5SCC22NK2	5SCC28NK2	5SCC36NK2	5SCC45NK2	5SCC50NK2	5SCC56NK2
Capacitate de răcire (kW)	1.5	1.8	2.2	2.8	3.6	4.5	5	5.6
Capacitate de încălzire (kW)	1.8	2.2	2.5	3.2	4	5	5.6	6.3
Debit Aer (m³/h)	460/420/370	460/420/370	500/460/370	570/480/420	620/550/480	730/650/560	730/650/560	730/650/560
Putere absorbită (W)	30	30	30	30	30	45	45	45
Curent nominal (A)	0.15	0.15	0.15	0.15	0.15	0.23	0.23	0.23
Curent siguranță (A)	6							
Presiune sonoră (dB(A))	33/30/25	33/30/25	36/31/25	36/33/28	39/37/35	43/41/39	43/41/39	43/41/39
Alimentare electrică (V/Ph/Hz)	220-240V/1/50							
Agent frigorific	R410A							
Diametru teava - lichid (mm)	6.35	6.35	6.35	6.35	6.35	6.35	6.35	9.52
Diametru teava - gaz (mm)	9.52	9.52	9.52	9.52	12.7	12.7	12.7	15.9
Diametru tub drenaj (mm)	25x2.5							
Dimensiuni unitate L×I×A (mm)	570×570×265							
Dimensiuni ambalaj (mm)	695×650×280							
Dimensiuni panou (mm)	620×620×47.5							
Greutate netă (kg)	17.5							
Greutate brută (kg)	22.5							
Greutate netă panou (kg)	3							
Greutate brută panou (kg)	4.5							

Casetă compactă 4 direcții — seria CHV-5SCT

10 modele: CHV-5SCT28NK2 ... CHV-5SCT100NK2

Model	5SCT28NK2	5SCT36NK2	5SCT45NK2	5SCT50NK2	5SCT56NK2	5SCT63NK2	5SCT71NK2	5SCT80NK2	5SCT90NK2	5SCT100NK2
Capacitate de răcire (kW)	2.8	3.6	4.5	5	5.6	6.3	7.1	8	9	10.0
Capacitate de încălzire (kW)	3.2	4.0	5	5.6	6.3	7.1	8.0	9	10	11.2
Debit Aer (m³/h)	671/616/513	671/616/513	715/616/513	715/616/513	764/676/609	764/676/609	816/745/660	816/745/660	1470/1310/1275	1470/1310/1275
Putere absorbită (W)	20	20	30	30	30	30	55	55	90	90
Curent nominal (A)	0.25	0.25	0.3	0.3	0.3	0.3	0.49	0.49	0.62	0.62
Curent siguranță (A)	6									
Presiune sonoră (dB(A))	35/32/29	33/31/28	35/32/29	35/32/29	39/36/33	39/36/33	39/37/34	39/36/33	41/39/37	41/39/37
Alimentare electrică (V/Ph/Hz)	230V/1/50									
Agent frigorific	R410A									
Diametru teava - lichid (mm)	6.35	6.35	6.35	6.35	9.52	9.52	9.52	9.52	9.52	9.52
Diametru teava - gaz (mm)	9.52	12.7	12.7	12.7	15.9	15.9	15.9	15.9	15.9	15.9
Diametru tub drenaj (mm)	25x2.5									
Dimensiuni unitate L×l×A (mm)	929×630×280	790×280×630	929×630×280	929×630×280	929×630×280	929×630×280	790×280×630	929×630×280	1491×630×280	1350×280×630
Dimensiuni ambalaj (mm)	1030×737×350	1030×737×350	1030×737×350	1030×737×350	1030×737×350	1030×737×350	1030×737×350	1030×737×350	1787×840×115	1588×737×350
Dimensiuni panou (mm)	1100×710×28	1100×710×28	1100×710×28	1100×710×28	1100×710×28	1100×710×28	1100×710×28	1100×710×28	1660×710×28	1660×710×28
Greutate netă (kg)	25.5	25.5	25.5	25.5	25.5	25.5	25.5	25.5	40.5	40.5
Greutate brută (kg)	33	33	33	33	33	33	33	33	50.5	50.5
Greutate netă panou (kg)	6	6	6	6	6	6	6	6	9.5	9.5
Greutate brută panou (kg)	10.5	10.5	10.5	10.5	10.5	10.5	10.5	10.5	15.5	15.5

Casetă compactă 4 direcții — seria CHV-5SCT

4 modele: CHV-5SCT112NK2 ... CHV-5SCT160NK2

Model	5SCT112NK2	5SCT125NK2	5SCT140NK2	5SCT160NK2
Capacitate de răcire (kW)	11.2	12.5	14.0	16
Capacitate de încălzire (kW)	12.5	14.0	16.0	18
Debit Aer (m³/h)	1470/1310/1275	1565/1400/1275	1565/1400/1275	1755/1565/1275
Putere absorbită (W)	90	100	100	110
Curent nominal (A)	0.62	0.69	0.69	0.75
Curent siguranță (A)	6			
Presiune sonoră (dB(A))	41/39/37	43/41/39	43/41/39	46/43/40
Alimentare electrică (V/Ph/Hz)	230V/1/50			
Agent frigorific	R410A			
Diametru teava - lichid (mm)	9.52			
Diametru teava - gaz (mm)	15.9	15.9	15.9	19.05
Diametru tub drenaj (mm)	25x2.5			
Dimensiuni unitate L×l×A (mm)	1491×630×280	1350×280×630	1350×280×630	1491×630×280
Dimensiuni ambalaj (mm)	1588×737×350			
Dimensiuni panou (mm)	1660×710×28			
Greutate netă (kg)	40.5			
Greutate brută (kg)	50.5			
Greutate netă panou (kg)	9.5			
Greutate brută panou (kg)	15.5			

Casetă 4 direcții — seria CHV-5SC

10 modele: CHV-5SC22NK2 ... CHV-5SC90NK2

Model	5SC22NK2	5SC28NK2	5SC36NK2	5SC45NK2	5SC50NK2	5SC56NK2	5SC63NK2	5SC71NK2	5SC80NK2	5SC90NK2
Capacitate de răcire (kW)	2.2	2.8	3.6	4.5	5	5.6	6.3	7.1	8	9
Capacitate de încălzire (kW)	2.5	3.2	4	5	5.6	6.3	7.1	8	9	10
Debit Aer (m³/h)	800/700/600	750/650/550	750/650/550	750/650/550	750/650/550	1000/900/750	1000/900/750	1180/950/850	1180/950/850	1500/1350/1100
Putere absorbită (W)	26	48	48	48	50	59	59	68	68	98
Curent nominal (A)	0.2	0.2	0.2	0.2	0.2 (răcire) / 0.3 (încălzire)	0.3	0.3	0.3	0.3	0.4
Curent siguranță (A)	6									
Presiune sonoră (dB(A))	33/30/28	36/34/31	36/34/31	36/34/31	36/34/31	37/35/32	37/35/32	38/36/33	38/36/33	40/37/35
Alimentare electrică (V/Ph/Hz)	230V/1/50									
Agent frigorific	R410A									
Diametru teava - lichid (mm)	6.35	6.35	6.35	6.35	6.35	9.52	9.52	9.52	9.52	9.52
Diametru teava - gaz (mm)	9.52	9.52	12.7	12.7	12.7	15.9	15.9	15.9	15.9	15.9
Diametru tub drenaj (mm)	25x2.5	25x2.5 (Ø25, perete 2.5)	25x2.5	25x2.5	25x2.5	25x2.5	25x2.5	25x2.5	25x2.5	25x2.5
Dimensiuni unitate L×I×A (mm)	840×840×240	840×840×190 (amprentă×înălțime, corp slim)	840×840×190 (amprentă×înălțime, corp slim)	840×840×190 (amprentă×înălțime, corp slim)	840×840×190 (amprentă×înălțime, corp slim)	840×840×190 (amprentă×înălțime, corp slim)	840×840×240	840×840×240	840×840×240	840×840×320 (corp înalt)
Dimensiuni ambalaj (mm)	960×960×310	1033×1038×133	963×963×272	963×963×272	963×963×272	963×963×325	963×963×325	963×963×325	963×963×325	963×963×409
Dimensiuni panou (mm)	950×950×65									
Greutate netă (kg)	27	7/11	22.5/29.5	22.5/29.5	22.5/29.5	26.5/34.5	26.5/34.5	26.5/34.5	26.5/34.5	32.5/40
Greutate brută (kg)	35	35	35	35	36	36	36	36	37	37
Greutate netă panou (kg)	6									
Greutate brută panou (kg)	9.5									

Casetă 4 direcții — seria CHV-5SC

5 modele: CHV-5SC100NK2 ... CHV-5SC160NK2

Model	5SC100NK2	5SC112NK2	5SC125NK2	5SC140NK2	5SC160NK2
Capacitate de răcire (kW)	10	11.2	12.5	14	16
Capacitate de încălzire (kW)	11.2	12.5	14	16	17.5
Debit Aer (m³/h)	1500/1350/1100	1700/1400/1100	1860/1500/1150	1860/1500/1150	2100/1700/1400
Putere absorbită (W)	98	110	110	110	130
Curent nominal (A)	0.4	0.5	0.5	0.5	0.6
Curent siguranță (A)	6				
Presiune sonoră (dB(A))	40/37/35	41/38/36	43/41/38	43/41/38	47/44/42
Alimentare electrică (V/Ph/Hz)	230V/1/50				
Agent frigorific	R410A				
Diametru teava - lichid (mm)	9.52				
Diametru teava - gaz (mm)	15.9	15.9	15.9	15.9	19.05
Diametru tub drenaj (mm)	25x2.5	25x2.5	25x2.5	25x2.5	25x2.5 (Ø25, perete 2.5)
Dimensiuni unitate L×I×A (mm)	840×840×320 (corp înalt)	840×840×320 (corp înalt)	840×840×320 (corp înalt)	840×840×320 (corp înalt)	910×910×293 (amprentă mai mare)
Dimensiuni ambalaj (mm)	963×963×409	963×963×409	963×963×409	1033×1038×133	1137×1137×140
Dimensiuni panou (mm)	950×950×65				
Greutate netă (kg)	32.5/40	32.5/40	32.5/40	7/11	7.5/11.5
Greutate brută (kg)	37	42	42	42	44
Greutate netă panou (kg)	6				
Greutate brută panou (kg)	9.5				

Casetă 1 direcție — seria CHV-5SCW

9 modele: CHV-5SCW22NK ... CHV-5SCW80NK

Model	5SCW22NK	5SCW28NK	5SCW36NK	5SCW45NK	5SCW50NK	5SCW56NK	5SCW63NK	5SCW71NK	5SCW80NK
Capacitate de răcire (kW)	2.2	2.8	3.6	4.5	5	5.6	6.3	7.1	8
Capacitate de încălzire (kW)	2.5	3.2	4	5	5.6	5.6	7.1	8	9
Debit Aer (m³/h)	600/500/450	600/500/450	600/500/450	830/600/500	830/600/500	890/667/564	880/680/600	1000/680/600	1000/680/600
Putere absorbită (W)	30	30	30	45	45	45	57	83	83
Curent nominal (A)	0.2	0.2	0.2	0.3	0.3	0.3	0.55	0.86	0.86
Curent siguranță (A)	6								
Presiune sonoră (dB(A))	36/32/28	36/32/28	36/32/28	40/35/30	40/35/30	41/38/35	42/39/36	44/39/36	44/39/36
Alimentare electrică (V/Ph/Hz)	220-240V/1/50								
Agent frigorific	R410A								
Diametru teava - lichid (mm)	6.35	6.35	6.35	6.35	6.35	6.35	6.35	9.52	9.52
Diametru teava - gaz (mm)	9.52	9.52	12.7	12.7	12.7	12.7	12.7	15.9	15.9
Diametru tub drenaj (mm)	25x2.5								
Dimensiuni unitate L×I×A (mm)	987×178×385	987×178×385	987×178×385	987×178×385	987×178×385	1150×385×178	1150×385×178	1346×470×200	1346×470×200
Dimensiuni ambalaj (mm)	1265×118×536	1265×118×536	1265×118×536	1265×118×536	1265×118×536	1304×498×295	1304×498×295	1435×545×240	1435×545×240
Dimensiuni panou (mm)	1262×533×106	1200×460×55	1200×460×55	1200×460×55	1200×460×55	1200×460×55	1440×645×140	1350×555×64	1350×555×64
Greutate netă (kg)	20	20	20/27	21	21	21	21	26	26
Greutate brută (kg)	27	27	28.5	28.5	28.5	28.5	28.5	31.5	31.5
Greutate netă panou (kg)	4.2	4.2	4.2	4.2	4.2	4.2	4.2	7.8	7.8
Greutate brută panou (kg)	6	6	6	6	6	6	6	13.5	13.5